




QTY -041	P/N	DESCRIPTION
X	DSK 199-041	RESERVOIR ASSEMBLY MOUNT
1	DSK 199-1	BASE PLATE
2	DSK 199-3	SUPPORT
1	DSK 199-5	MOUNTING PLATE







SECTION A-A



SECTION B-B



DSK 199-041 RESERVOIR ASSEMBLY MOUNT




UNDER REVIEW
ECR: HB ECR 321

- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: IDENTIFY PER DART QSI 044
 - 7) WEIGHT: 8.08 lbs

UNAPPROVED

A	NEW ISSUE	KPT	20.11.20
REV.	DESCRIPTION	BY	DATE
DESIGN	KPT	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	KPT		
CHECKED	SAD	DRAWING NO.	REV. A
MFG. APPR.	DD	DSK 199	SHEET 1 OF 5
APPROVED	<i>M. Lee</i>	TITLE	SCALE
DE APPR.	N/A	VIBRATION TEST FIXTURE	NTS
DATE	20.11.20	COPYRIGHT © 2020 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



DSK 199-1 BASE PLATE


NOTES:


- 1) MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
PER QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160)
OR ASTM B211 OR ASTM B221
REF DART SPEC M6061T6B
OR
6061-T6/T62/T651 ALUMINUM SHEET OR PLATE
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027
OR ASTM B209
REF DART SPEC M6061T6S
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "DSK 199-041" PER DART QSI 044 SECTION 6.4
- 7) WEIGHT: 3.22 lbs


UNDER REVIEW
ECR: HB ECR 321

UNAPPROVED

DESIGN	KPT	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	KPT		
CHECKED	SAD	DRAWING NO. DSK 199	REV. A
MFG. APPR.	DD	SHEET 2 OF 5	
APPROVED	<i>M. Lee</i>	TITLE	SCALE
DE APPR.	N/A	VIBRATION TEST FIXTURE	NTS
DATE	20.11.20	COPYRIGHT © 2020 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	







DSK 199-7 JUNCTION BOX MOUNT

- NOTES:**
- 1) MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
PER QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160)
OR ASTM B211 OR ASTM B221
REF DART SPEC M6061T6B
OR
6061-T6/T62/T651 ALUMINUM SHEET OR PLATE
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027
OR ASTM B209
REF DART SPEC M6061T6S
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "DSK 199-7" PER DART QSI 044 SECTION 6.4
 - 7) WEIGHT: 4.02 lbs

UNDER REVIEW
ECR: HB ECR 321

UNAPPROVED

DESIGN	KPT	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	KPT		
CHECKED	SAD	DRAWING NO.	REV. A
MFG. APPR.	DD	DSK 199	SHEET 5 OF 5
APPROVED	<i>M. Lee</i>	TITLE	SCALE
DE APPR.	N/A	VIBRATION TEST FIXTURE	NTS
DATE	20.11.20	COPYRIGHT © 2020 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	